

TANK INFORMATION REQUIRED

Tank Owner: _____ Location: _____ Date: _____



Tank Number: _____ Tank Ø: _____ ft Tank Height: _____ ft

Product height when measuring "R": _____ in Product Stored: _____

Measure Rim Space ("R") at 8 places (every 45°), starting at the Gauge Pole (0°)

at 0°, "R"= _____ in	at 45°, "R"= _____ in	at 90°, "R"= _____ in	at 135°, "R"= _____ in
at 180°, "R"= _____ in	at 225°, "R"= _____ in	at 270°, "R"= _____ in	at 315°, "R"= _____ in

Floating Roof Type _____ Calculated Average Rim Space= _____ in

PLEASE SELECT PONTOON RIM TYPE


Rim Height above Pontoon "V2": _____ in
Top of Rim to Liquid Level "V3": _____ in
Rim Bolt Edge Distance "E": _____ in

Rim Depth "V4": _____ in
Rim Bolt Ø "D": _____ in
Rim Bolt Spacing "C": _____ in

PLEASE SELECT SEAL TYPE

Primary Seal Type:
Primary Seal Material:
Primary Fabric Material:
Secondary Seal Type:
Secondary Seal Material:
Secondary Fabric Material:
Wiper Seal Type:
Wiper Material:
PLEASE SELECT FOAM DAM TYPE
*Foam Dam Options:

ADDITIONAL OPTIONS

Rim Clip Adaptor <i>(Requires no drilling on site)</i>
Wax Scraper
Shoe Shunts
Fabric Supports

*API650 & NFPA11 REQUIRES FOAM DAM STEEL (MIN.10 GAUGE)

COMMENTS

